

Allergy Safety Policy

St Mary's Horsforth Catholic Voluntary Academy



"Happy together in God's family,
we love, grow and learn."

Approved by:	Chris Barnes	Date: September 2026
Last reviewed on:		
Next review due by:	September 2027	

St Mary's is committed to safeguarding and promoting the welfare of children and young people and expects all staff, volunteers, contractors and visitors to share this commitment.

This template policy is compliant with the Allergy Safety in Schools statutory guidance published July 2026. It has been written and reviewed by the team at Anaphylaxis UK who have worked with the Department for Education on creating the Allergy Safety in Schools statutory guidance.

Introduction and Core Principles

In line with Benedict's Law, we are committed to providing a safe, inclusive, and welcoming environment for all children, young people, staff, and visitors with allergies. Recognising the serious and potentially life-threatening risk posed by anaphylaxis, this dedicated policy establishes robust risk-mitigation measures and emergency response protocols.

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an "allergen") they are allergic to. Asthma, food allergy, eczema and seasonal rhinitis (hay fever) are all forms of allergy.

Anaphylactic reactions usually begin within minutes of being in contact with the allergen i.e. eating a trigger food, though can occur several hours later (i.e. allergy to Mammalian meat). Anaphylaxis involves difficulty in breathing and affects the heart rhythm. In extreme cases there could be a dramatic fall in blood pressure leading to collapse.

Once started, anaphylaxis reactions progress quickly. Investigations into fatal anaphylaxis show that there is only a 20-30 minute window of opportunity during which steps can be taken to prevent death – therefore giving emergency adrenaline **immediately** and calling Emergency Services (999) is crucial. **Anaphylaxis always requires an emergency response**

Anaphylaxis can occur without any other signs (such as a skin rash) being present. **Always consider anaphylaxis in someone with a known food allergy who has sudden difficulty in breathing.** Giving adrenaline in this context is very safe and may be lifesaving.

The most common causes of "whole body" allergic reactions – including anaphylaxis – are:

- foods (e.g. peanuts, tree nuts, cow's milk/dairy foods, egg, wheat, fish/shellfish and sesame);
- insect stings (e.g. bee, wasp);
- medication (e.g. antibiotics, pain medicines such as ibuprofen);
- latex (e.g. rubber gloves, balloons, swimming caps).

Even for food allergy, the vast majority of anaphylaxis reactions require the person to have eaten the food, although less serious allergic reactions can happen through skin or other contact. Anaphylaxis reactions due to skin contact are very rare. Students who have a skin reaction need monitoring for at least an hour.

St Mary's has a whole school awareness approach, because it ensures all staff and students are aware of what allergies are, the importance of avoiding the individuals' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure procedures are in place to minimise risk of exposure.

Coeliac disease and food intolerance can present symptoms which are similar to those of food allergy; it is important that Coeliac disease and food intolerance is managed through dietary avoidance, but these conditions do not pose a risk of anaphylaxis and so they are not within this allergy safety policy.

Eczema, asthma and allergies sometimes occur together – known as the atopic triad. It is important that these are managed well in order to keep the individual healthy. Asthma training is needed by all staff and an individual's asthma care plan needs to be included with their individual healthcare plan. These conditions are not included in this allergy safety policy.

St Mary's understands that severe allergies are included in the Equality Act, 2010. The act considers a person disabled if they have a physical or mental impairment that has a substantial and long-term negative effect on their ability to carry out normal daily activities. Seasonal rhinitis (such as hay fever) is explicitly excluded from the definition of disability, unless it aggravates the effect of another health condition.

Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting
- mild throat tightness
- sudden change in behaviour

These symptoms are treated with antihistamines.

More serious symptoms are often referred to as the ABC symptoms and can include:

- **AIRWAY** - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING** - sudden onset wheezing, breathing difficulty, noisy breathing, persistent cough.
- **CIRCULATION** - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the individual where they are, call for help and do not leave them unattended.
- **LIE individual FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE DEVICE WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh or nasal into the nostril. Specific instructions vary by brand – always follow the instructions on the device.
- CALL **999** and state **ANAPHYLAXIS (ana-fil-axis)**.
- If no improvement after 5 minutes, administer second adrenaline device
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the individual where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All individuals must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can recur after treatment.

Minimising Risk and Exposure to Allergens

Minimising risk and the exposure to allergens is central to ensuring that individuals with allergies are safe from harm. Even a small amount of allergen can cause a reaction. Any food can cause a reaction with serious consequences for the individual and St Mary's will only eliminate a food following a risk assessment supported by medical advice when necessary. Where a food is restricted, this will be to the smallest area for the time necessary; for example, the cooking room for the duration of the lesson when the student with allergy is cooking. Blanket bans, especially to nuts, create a false sense of security. Whilst there are 14 key food allergens that cause over 90% of reactions, any food can cause a reaction.

St Mary's is allergy aware ensuring that the staff and students are actively aware of the risk posed by allergens, take steps to minimise the risk of exposure and have robust emergency response plans in place.

St Mary's completes a school wide allergy risk assessment that seeks to minimise the risks of exposure to known allergens. The risk assessment will include:

- Identifying the food used within the curriculum and making adaptations to remove allergens that pose a risk for the whole group not just the student who has the allergy.
- Conducting specific risk assessments to manage the risks of exposure to allergens in individuals when planning external visits or trips
- Identify measures to manage risks of exposure to a food allergen through food brought in by others (for example, parents, students, staff).
- Identify measures to manage the risks of exposure to a food allergen through food provided by the school, college or setting
- Putting in reasonable measures to manage the risk of individuals being exposed to allergens where they have a known allergy to airborne or contact allergens
- Identifying non-food allergens within the environment and making adaptations to remove/reduce allergens that pose a risk; for example, therapy or school dogs would require enhanced cleaning and limiting to specific areas, hygiene measures after students have worked with the therapy dog

St Mary's will ensure that allergy is included in all school risk assessments to identify risks and plan control measures to minimise the risk of exposure.

St Mary's will ensure that the risk of exposure is minimised by:

- All school staff allergy training every year
- Educating students through awareness assemblies and within PSHE

- Communicating with all visitors, temporary staff and cover staff that they will be teaching a student with an allergy and ensuring that the member of staff has been trained in allergy and anaphylaxis emergency response
- Working closely with parents/carers and health professionals to understand the student's allergy
- Monitoring this policy to ensure that the agreed practices are implemented
- Establishing and maintaining high hygiene standards amongst staff, students and visitors

Food Provision and Catering:

St Mary's will manage the risk of food allergy and provide clear information on allergens in food provided by:

- Ensure the contract with the school catering company is compliant with the Food Standards Authority allergen management regulations
- Ensuring school caterers provide information on food allergens to parents/carers and have this available for the students to check independently
- Provide student's allergen information to the caterers in a timely manner to ensure that students can eat safely
- Enabling parents/carers to liaise with the catering company or school chef
- Identify students with allergies at point of service by coloured bands. The chosen method should not be reliant on one person with two people checking that the correct meal is going to the correct child.
- Ensure that food is always labelled as unlabelled food poses a potentially greater risk of allergen exposure than packaged food with precautionary ("may contain") labelling suggesting a risk of contamination with allergen. This applies to foods used within the classroom curriculum (e.g. cooking) as well that from the school kitchen or canteen.
- Teach students not to food share, trade food or share utensils or food containers with the reasons why

When staff provide food for the students, they receive additional training to ensure they understand how to read labels for food allergens and how to prevent cross-contamination during the handling, preparation and serving of food.

Where food is not directly provided by the school (for example brought in as treats or to celebrate birthdays) parent/carer permission will sought in advance to ensure inclusion and safety for students with allergies.

These procedures apply to school led breakfast and after school provision. Where this is provided by a third party, St Mary's, ensures that this policy is shared and the third-party provider meets the same procedures.

Ensuring that PTA events, as best practice, follow FSA (Food Standards Agency) legislation for food labelling, creating allergen matrices as necessary. Ensuring that PTA members who are serving food have a basic awareness of allergen management (signpost to free FSA training)

Students eligible for benefits based Free School Meals are entitled to their free school meal entitlement. School will work with parents/carers to determine the best way of ensuring that students receive their meal.

Medication and Adrenaline Devices (ADs)

People at risk of anaphylaxis are prescribed two adrenaline devices which they should carry with them at all times. This includes the journey to and from;

- school,
- the classroom
- lunch area
- playground
- sports field
- when on visits or trips

Serious anaphylaxis is a time critical situation; delays in administering adrenaline have been associated with fatal reactions. An adrenaline device needs to be administered within 5 minutes so if the adrenaline device cannot be with them in the classroom, the adrenaline device should be stored in an appropriate central location that is unlocked and accessible at all times (including during wrap around care).

Adrenaline devices must be stored at room temperature (in line with manufacturer's guidelines) and not be exposed to extremes of heat. They should not be refrigerated or left in direct sunlight.

Spare Adrenaline Devices

The Human Medicines (Amendment) Regulations 2017 permit "spare" adrenaline devices to be used for the purpose of saving a life. This might be, for example, a child presenting for the first time with anaphylaxis due to an undiagnosed allergy.

St Mary's holds spare adrenaline devices for use in emergency situations. These are not a replacement for a student's own adrenaline device. Students prescribed adrenaline are expected to have their own adrenaline devices with them at school for use in an emergency.

St Mary's holds:
One pair of spare devices.

These are located in the school office

They are stored in clear colour containers and labelled 'Emergency Anaphylaxis Kit'

Allergy lead is responsible for checking that adrenaline devices are in date and remain clear on a monthly basis. They will secure replacements one month before the current adrenaline device expires

Adrenaline devices that are used will be disposed of in a sharps box, kept in the school office or given to the paramedic. Adrenaline devices that are out of date or where the adrenaline has degraded will be taken to a pharmacy to be disposed of. In order to receive a sharps box the school should register with the Local Authority which will be collected by them.

In the event of anaphylactic reaction:

- Adrenaline should be administered as soon as possible, within five minutes. **Do not wait** to contact the emergency services before administering adrenaline.
- The child, young person or individual should not be moved. Adrenaline devices should be brought to them (whether their own prescribed ADs or “spare” ADs).
- If the child, young person or individual **has their own prescribed adrenaline devices**, these should be used in the first instance.
- If the child, young person or individual **does not have prescribed adrenaline devices**, “spare” adrenaline devices can be used.
- If the child, young person or individual’s **prescribed adrenaline devices are not available or misfire**, “spare” adrenaline devices can be used.
- If the individual has serious allergy and asthma and there is any doubt if they are presenting with anaphylaxis or having an asthma attack always administer the adrenaline first.

The Human Medicines (Amendment) Regulations 2017 do not require consent to have been obtained for “spare” adrenaline devices to be used. It can be good practice for the school, college or setting to obtain advance consent from parents or the young person for “spare” adrenaline devices to be used, so that in an emergency, consent can be assumed to be in place. However, in an emergency situation anyone may take reasonable action to save a life without checking whether prior consent has been given.

Student self-management:

Depending on their level of understanding and competence, students will be encouraged to take responsibility for and to always carry their own two adrenaline devices on them in a suitable bag/container (school drawstring PE bag)

Older students and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Staff Training and Emergency Response

All staff, including teaching staff, support staff, catering staff and others who may oversee students including at breakfast or after school clubs will be trained in allergy awareness and emergency response. The school is responsible for ensuring that supply, cover, coaching, peripatetic staff have received allergy awareness training.

Training can be online or face to face. The content needs to include:

- Allergy awareness, the risks it poses, how allergic reactions occur and how to manage them
- Allergy includes multiple co-existing conditions: asthma, eczema, hay-fever
- Understand the difference between food allergy, intolerance and coeliac disease
- That a student can be allergic to any food, not just the top 14 allergens
- Know the symptoms of allergic reactions and how to treat
- Know the symptoms of anaphylaxis and how to treat
- How to locate and administer adrenaline or an asthma inhaler

- All adrenaline devices should be used to train with as the student may have different ones to the spare adrenaline
- How to report an allergic reaction including
 - Mild to moderate
 - Anaphylaxis
 - Near miss/incident
- Understand their responsibilities in risk reduction to ensure that students prevented from coming into contact with their allergens
- Understand the impact that allergy can have on a student's wellbeing
- Understand the school's allergy safety policy and
 - How to check if a student is on the record of those with a known allergy
 - How to use an allergy or asthma action plan

Emergency preparedness

St Mary's will annually hold a practice response to anaphylaxis, review how the practice went and update policy and procedures.

Throughout the year staff will be reminded of key aspects of the policy such as:

- how to find out who has an allergy
- the storage of spare adrenaline
- practice with adrenaline trainer devices

St Mary's will communicate key messages regarding risk reduction leading up to festivals, trips and end of term celebrations.

During fire drills and lockdown practices, St Mary's will ensure that a student's adrenaline device is with them. Should a real evacuation happen, the student may have to go home without adrenaline if this has not been taken out during a fire evacuation.

Roles and Responsibilities:

Allergy lead and governing body:

The governing body are responsible for ensuring that the school's policy sets out the arrangements to reduce the risk of individuals coming into contact with their known allergens and sets out the emergency response plan for cases of anaphylaxis. The governing body and Academy Trust monitor this policy with it being a standing agenda item at meetings. St Mary's have a named governor who works closely with the allergy lead and reports to the meetings.

St Mary's includes the risks pertaining to students and staff with allergy on the school's risk register.

St Mary's has a named member of the senior leadership team (headteacher) who is responsible for allergy safety which includes driving the implementation of the allergy safety policy and contributing to the review of the policy.

The allergy lead is responsible for:

- systems to collect allergy information during the enrolment process, ensuring that this information is shared with catering. Outside of the normal admission point, ensures that information is shared staff and catering teams as soon as possible but within two weeks of the student starting
- holding a register of students and staff with allergies including whether they hold adrenaline and whether they have an allergy action plan
- ensures that systems are robust for the identification of students at mealtimes
- Communication about:
 - the policy
 - the students who are on the register of those with allergies
 - the importance of recording and reporting near misses and incidents
- communication with:
 - governors to provide updates about the policy implementation
 - Health and Safety and Designated Safeguarding Leads to keep allergy safety as part of their roles
 - Outside agencies such as Health and Safety Executive (HSE) if a report under RIDDOR is needed
 - Caterer; the procedures in the kitchen and the procedures for ensuring that the students with allergies are provided with a safe meal
 - Parents/carers to enable them to input into IHPs (Individual Healthcare Plans) and to request allergy action plans when appropriate
 - Students to develop an understanding of allergy through information assemblies and workshops, participating in awareness days and weeks
- spare adrenaline devices and making sure these are checked and in date, with replacements being secured before the current ones expire
- that IHPs are created and communicated
- Training
 - ensuring that all staff annual training and that allergy is included in induction even for short term members of staff.
 - ensures that all staff have the opportunity to practice with trainer adrenaline devices at least annually but ideally a few times a year.

If the allergy lead is supported by a medical officer, lead first aider or school nurse, the above can be amended to reflect who is responsible for which aspects.

All Staff:

Responsible for:

- understanding their role in implementing this policy, recognising signs of allergic reactions, and acting swiftly in an emergency
- supporting the creation of the students IHP
- implementing the students IHP
- Creating an inclusive curriculum
- Curriculum adaptation to minimise risks
- Completing risk assessments for, curriculum activities involving food, trips and visits including sporting events
- Building proactive relationships with parents/carers
- Reporting near misses and incidents

Parents:

Responsible for:

- Adhering to this policy
- Providing school with the information they need to create individual health care plans
- Updating school when reactions happen outside of school or any changes to the student's allergy and its management.
- Ensuring that the student always has in date medication with them at school

Identification of Individuals with Allergies

Admissions Data Collection: St Mary's collects detailed medical information from parents/carers regarding known allergies, dietary restrictions, and treatment histories prior to admission on entry to school via complete admissions forms.

Information Sharing: UK GDPR does not prevent the sharing of a student's health information (special category data). Relevant information is securely compiled and shared as necessary in a controlled way with teaching staff, support staff, supply cover, and catering teams while maintaining appropriate data privacy. This is done through care plans saved on resources and kept in folders on the back of the classroom door and a display in the staffroom.

Transition: Allergy information and existing care plans are shared as part of a student's transition. St Mary's will request allergy information from the previous school or setting and will consider whether any of the arrangements are suitable to implement. St Mary's work with parents/carers and the student if appropriate to write a new IHP Staff will provide information about students for transition visits ahead of a formal move.

Staff: pre-employment questionnaires will ask whether they have any allergies. If an allergy is declared, there will be a discussion and action plan created to ensure that the member of staff has a safe working environment.

Visitors and regular volunteers: will be asked about allergies ahead of their visit. If an allergy is declared, the allergy lead will be notified, and this information will be communicated as necessary to ensure that the visitor or regular volunteer has a safe working environment.

Student Individual Healthcare Plans (IHPs) and Allergy Action Plans**Allergy action plans**

- These are clinical documents that are created by a GP / allergy nurse or allergy clinic. They detail the student's allergy and medication.
- These contain parent/carer contact details and must be signed by the parent/carer as this is the parental authority to administer medication including the administration of spare adrenaline devices.
- These will only be updated by the medical professional following a review of the student's allergy management, this could be annually or 5 yearly. Parents/carers or school need to update the photo of the student annually so that the student is recognisable.

Allergy action plans are issued for students who have an IgE food allergy and often a venom allergy that could lead to anaphylaxis. They are not issued for all allergies. Students with non-IgE allergies don't experience anaphylaxis and so an allergy action plan is not issued.

Individual Healthcare Plans (IHPs)

Individual healthcare plans are an essential communication tool that provide clarity about the arrangements which need to be in place to ensure that a student is fully included in the life of the school. It will identify exact risk-mitigation measures that need to be followed.

Individual Healthcare Plans are school owned documents that are co-created by school, parents/carers and students.

They should include any advice received from health professionals. If there is no advice from health professionals, information and support can be requested of the school nurses if this is needed.

Where a child has an allergy action plan and or an asthma plan, this must be included with the IHP.

It is good practice to review IHPs annually or when staff change however they must be reviewed if an incident or near miss occurs. They need to be brought to the attention of supply or cover staff and be passed on during transition to a new school.

St Mary's will ensure that:

- students with an allergy action plan and/or an asthma plan have an individual healthcare plan
- students without an allergy action plan or asthma plan but have an allergy that needs active management over and above what other students need will have an individual healthcare plan
- individual healthcare plans are created whilst students are waiting for a diagnosis

School Trips and External Visits

St Mary's ensures that students with allergies are fully included in every trip, sporting event, or extracurricular activities. A risk assessment addressing allergen exposure in each activity, emergency medication, transport, and proximity to local emergency care will be undertaken with control measures identified. In order to ensure that the student is safe and included, alternative activities will be planned. This will include the safe storage adrenaline for the duration of the school trip.

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all students have their medication including adrenaline devices with them before departure. Students unable to produce their required medication will not be able to attend the excursion.

In conjunction with the allergy lead, the trip leader will review the risk assessment to determine whether the school's spare adrenaline devices should be taken on the trip. St Mary's will provide additional spare adrenaline devices should the risk assessment for the trip deem necessary to take them ensuring that students remaining in school still have access to spare adrenaline devices should the need arise.

St Mary's will notify the host school, when arranging a sporting fixture, that a member of the team has an allergy.

Serious Incidents and "Near Misses":

St Mary's approaches serious incidents and "near misses" in a "no blame" spirit, seeking to learn lessons and address any issues which the incident identified, so that students are better protected in the future.

St Mary's is aware, when an incident occurs that materials such as residues of food consumed or handled or samples of fluids may constitute evidence, which may need to be seized and retained.

St Mary's uses Cpoms to record allergic reactions (incidents) and near misses (e.g., accidental exposure without reaction, or labelling errors) immediately. The incident or near miss will be reviewed and a report written.

St Mary's will share the report with the student's parents/carers, the student and the individual involved. They should be given the opportunity to discuss what happened and to contribute their views to the consequent lessons learned review. St Mary's will confirm what it has learned from the incident and outline any actions it is taking as a result. The student's IHP will be updated if necessary.

If unsafe food was supplied by the school operating as a food business, the incident must be reported to the local authority environmental health team.

Wellbeing and Support

At St Mary's, allergy safety is a priority and actions to ensure that students are included and safe are embedded into the school's culture. Students with an allergy become anxious as a result of the risk of exposure to allergens and the potential for anaphylaxis, which may be compounded by living with difficult-to-control asthma or eczema.

St Mary's:

- regularly communicate to students, parents and staff about allergies, ensuring ongoing awareness and appreciation of the severity of the potential risks
- includes allergy and anaphylaxis lessons during assembly, tutor time or in PSHE
- plans school celebrations, rewards, and communal events inclusively from the outset to eliminate social isolation
- involves students and staff with allergies in developing and reviewing the policy and procedures for allergy management
- understands that allergy bullying is extremely serious and actively monitors, prevents, and addresses any stigmatisation or bullying directed at individuals due to their allergies or dietary constraints
- offers wellbeing support via the learning mentor or Horsforth cluster
- invites new joiners with allergies to have a tour of the kitchen and canteen so they can meet staff and get used to the mealtime environment which may help to reduce anxiety and enable staff to identify students with allergies in the dining hall
- has proactive engagement with new joiners with known allergies, setting out the school, college or setting's policies and the support available

Safeguarding:

St Mary's recognises that a safeguarding referral may be needed if an incident highlighted concern that the child or young person might be at an increased risk of being neglected, abused or exploited by persons inside or outside of their family unit because of their medical condition. This might occur where relevant information about a child or young person's medical condition is not provided to a school, college or setting, or where they are repeatedly sent without essential medication, thereby putting the individual at risk.

Unacceptable practice

St Mary's staff are clear about what constitutes unacceptable practice and are committed to ensuring that only good practice occurs. Should unacceptable practice occur the school will follow its own procedures to identify and address this using staff conduct policies.

Examples of unacceptable practice include (but are not limited to):

- preventing children and young people from easily accessing and administering their medication in line with what is agreed in their Individual Healthcare Plan (for example prescribed adrenaline devices and asthma reliever inhalers) when and where necessary;
- assuming that every child with the same condition requires the same support;
- assuming that older children and young people do not require support related to their allergy, even if they are able to take increasing responsibility for its management;
- ignoring the views of the child or young person or their parents or carer;
- ignoring medical evidence or the opinion and advice of healthcare professionals;
- assuming that a child or young person does not have an allergy because they do not yet have a diagnosis, for example while medical investigation is under way;
- sending a child or young person who becomes unwell to a school office or medical room without suitable supervision. In the case of an emergency or suspected emergency (for example anaphylaxis) help should come to the child or young person;
- penalising children or young people for their attendance record if their absences are related to their medical condition, e.g. hospital appointments and health management. This includes excluding children and young people from rewards for 100% attendance where their non-attendance is the result of a medical condition. This should be reflected in attendance policies;
- requiring parents / carers (or otherwise making them feel obliged) to attend the school, college or setting to administer medication or provide medical support to their child; or
- preventing children and young people from participating or creating unnecessary barriers to them participating in any aspect of school, college or setting life, including external visits and trips, e.g. by requiring parents to accompany the child.

Policy Review and Publication

This policy is published openly on the school website and is reviewed at least annually, or more frequently in response to local incident trends or updated statutory guidelines.

Further reading:

Anaphylaxis UK: for teachers by teachers, the one stop shop for all school allergy needs:
<https://www.anaphylaxis.org.uk/education>

Allergy UK: <https://www.allergyuk.org/about-allergy/types-of-allergies>

Allergy Safety in Schools July 2026: <https://www.gov.uk/government/publications/allergy-safety-in-schools>

Guidance on the use of adrenaline auto-injectors in schools

Spare Pens in School: <https://www.sparepensinschools.uk>

Benedict's law:

<https://benedictblythe.com/benedicts-law>

<https://www.anaphylaxis.org.uk/education/benedicts-law>

Food:

Allergy Guidance for Schools: <https://www.gov.uk/government/publications/school-food-standards-resources-for-schools/allergy-guidance-for-schools>

Allergy Guidance for food businesses: <https://www.gov.uk/government/publications/allergen-guidance-for-food-businesses>

Statutory Duties:

The duties under Section 34 of the Children's Wellbeing and Schools Act 2026 place a requirement on LA-maintained schools, Academies and PRUs to have allergy safety policies, publish them and keep them under review.

The duty of care under section 3 of the Children Act 1989 for any person with the care of a child to do all that is reasonable for the purposes of safeguarding or promoting the welfare of the child;

The duties to safeguard and promote the welfare of pupils and students under sections 20 and 175 of the Education Act 2002, the Education (Independent School Standards) Regulations 2014 (and associated statutory guidance Keeping Children Safe in Education) and the Non-Maintained Special Schools (England) Regulations 2015;

The duty of the employer under section 2 of the Health and Safety at Work etc Act 1974 to take reasonable steps to ensure that employees are not exposed to risks to their health and safety;

The duties under the Equality Act 2010 to provide equality of opportunity for all, including those who are disabled.

The Special Educational Needs and Disability (SEND) SEND code of practice: 0 to 25 years.

The Early Years Foundation Stage (EYFS) statutory framework.

FIRST AID FOR ANAPHYLAXIS



Recognise the Signs of Anaphylaxis...

A Airways

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B Breathing

- Difficult or noisy breathing
- Wheeze or persistent cough

C Circulation

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

An allergic reaction can escalate to anaphylaxis which is potentially life-threatening. Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.

ANAPHYLAXIS: ACTIONS TO TAKE

If any one or more of the above ABC symptoms are present, take these steps.

1. Administer an Adrenaline Auto Injector (AAI) without delay

Inject the AAI into the top of the outer thigh. If you're in doubt that it is anaphylaxis but one or more ABC symptoms are present, give the AAI, it will not harm them.




2. Dial 999 and say anaphylaxis ('ana-fill-axis')

Stay with the person until the ambulance arrives. **DO NOT** let them stand up and walk around.



3. The person should lie down immediately

If the person is not already lying down, they should do so, with legs raised if possible. If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



4. Inject a second AAI into the outer thigh if there are no signs of improvement after 5 minutes

If there is no sign of life, start CPR immediately until help arrives.

Please learn these steps. This is life-saving information. You never know when you will need to act in an anaphylaxis emergency.

ANAPHYLAXIS

HOW TO USE EPIPEN AAIS

If you think someone has an anaphylactic reaction,
give the AAI without delay. It will **not** harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.


1. Remove the blue safety cap

Grasp the EpiPen in your dominant hand and remove the blue safety cap by pulling straight up. **Remember: Blue to the Sky, Orange to the Thigh!**



2. Position the orange tip

Hold the EpiPen at 90°, approximately 10cm away from the leg, with the orange tip pointing towards the outer thigh.



3. Administer the EpiPen AAI

Jab the EpiPen firmly into the outer thigh at a right angle. Hold firmly for 3 seconds, before removing and safely discarding.



4. Once the EpiPen AAI has been administered call 999

Ask for an ambulance and say "ana-fill-axis".

5. Lie the person down with legs raised immediately

If the person is not already lying down, they should do so, **with legs raised if possible.**

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



6. If there are no signs of improvement after 5 minutes, use a second EpiPen AAI

The person should remain still and lying down until the ambulance arrives. **Don't try to get up, even if you start to feel better.**

7. Start CPR

If there are no signs of life, **start CPR immediately** until help arrives.



For more information
on EpiPen AAIs >>



Sign up to the free expiry alert service
and receive reminders by text or email when
your EpiPen is about to expire >>



ANAPHYLAXIS

HOW TO USE JEXT AAIS

If you think someone has an anaphylactic reaction, give the AAI without delay. It will not harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.


1. Hold the Jext AAI in the hand you write with

Hold with your thumb closest to the yellow cap. Pull off the yellow cap with your other hand.



2. Place the black injector tip against the outer thigh

Hold the injector at a right angles (approx. 90°) to the thigh.



3. Push the black tip as hard as you can into the outer thigh

Wait until you hear a 'click' confirming the injection has started, then keep it pushed in. Hold the injector firmly in place against the thigh for 10 seconds (a slow count to 10) then remove. The black tip will extend automatically and hide the needle.



4. Massage the injection area for 10 seconds

5. Once the Jext AAI has been administered call 999

Ask for an ambulance and say "ana-fill-axis".



6. Lie the person down with legs raised immediately

If the person is not already lying down, they should do so, with legs raised if possible.

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



7. If there are no signs of improvement after 5 minutes, use a second Jext AAI

The person should remain still and lying down until the ambulance arrives. **Don't try to get up, even if you start to feel better.**

8. Start CPR

If there are no signs of life, **start CPR immediately** until help arrives.



For more information
on Jext AAIs >>




Sign up to the free expiry alert service
and receive reminders by text or email when
your Jext AAI is about to expire >>



Appendix 4 - Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector

Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector.


Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed



Appendix 5

Flowchart for Allergic Reaction with use of Adrenaline Auto-Injector.

Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed



Appendix 6

Information on allergies

The most common causes of food allergies relevant to this Policy are the fourteen food allergens:

- Cereals containing Gluten
- Celery
- Crustaceans
- Eggs
- Fish
- Soya
- Milk
- Nuts
- Peanuts
- Mustard
- Sesame Seeds
- Sulphur dioxide/Sulphites
- Lupin
- Molluscs

However, it is possible that any food has the potential to cause an allergic reaction. Contact with any food or materials containing a child's allergen has the potential to cause an allergic reaction for that child.

Latex, chemicals, medicines, grasses, pollen, weeds, trees, pets, insect venom and animal dander (shedded flakes of skin) can also cause allergic reactions.

Symptoms

Mild to moderate symptoms include:

- Swelling of the eyes, face and lips
- Runny or congested nose
- Raised itchy rash (hives), eczema flare, skin flushing
- Itchy mouth
- Stomach cramps, nausea, vomiting, diarrhoea

Severe symptoms include:

- Swollen tongue, hoarse voice or cry, difficulty swallowing and talking
- Chest tightness
- Breathing difficulties, persistent cough, wheeze
- Low blood pressure, feeling faint, collapse
- Pale and floppy (babies and small children)

Appendix 7



Top 14 Allergens

 Celery	 Cereals containing gluten	 Crustaceans	 Eggs	 Fish	 Milk
 Molluscs	 Sulphur Dioxide	 Peanuts	 Sesame Seeds	 Soya	 Tree Nuts



Natasha Allergy Research Foundation

The UK's Food Allergy Charity

Empower • Include • Protect

AllergySchool.org.uk

© Copyright 2024 The Natasha Allergy Research Foundation UK
Registered Charity No: 1181096 Scotland No: SC053410

Appendix 8 - Individual healthcare plan for Name

Name of school/setting	
Child's name and photo	
Class/Teacher	
Date of birth	
Child's address	
Medical diagnosis or condition	
Date	
Review date	

Family Contact Information

Name	
Relationship to child	
Phone no. (work)	
(home)	
(mobile)	
Name	
Relationship to child	
(mobile)	

Clinic/Hospital Contact

Name	
Phone no.	

G.P.

Name	
Phone no.	

Who is responsible for providing support in school	
--	--

Describe medical needs and give details of child's symptoms, triggers, signs, treatments, facilities, equipment or devices, environmental issues etc

--

Name of medication, dose, method of administration, when to be taken, side effects, contra-indications, administered by/self-administered with/without supervision

--

Daily care requirements:

--

Specific support for the pupil's educational, social and emotional needs

--

Arrangements for school visits/trips etc.

--

Describe what constitutes an emergency, and the action to take if this occurs

Who is responsible in an emergency (*state if different for off-site activities*)

Plan developed with

Staff training needed/undertaken – who, what, when

Form copied to

Appendix 9 – whole school allergy management risk assessment

Whole School Allergy Management Risk Assessment

The school should have an allergy policy which is monitored. Clear communication and procedures should be regularly communicated to all staff. Annual training is recommended when allergic students are on roll or when a student with an allergy joins the school.

What are the hazards for each activity?	What are you already doing to control the risks?	Probability	Impact
Medication:			
<u>Storage:</u> Location of each student's medication Location of generic 'spare' AAI Consider: • is there consistency of container throughout the school to make it easily identifiable? • Is the student able to self carry their own medication? • Is the back up medication always within 5 mins of where the students are? Are multiple sites needed for back up medication? • Is the students and back up medication always accessible regardless of the time of day?			
Training:			
Check that the course has medical input/review Training should be updated annually Ideally all staff would be trained. If this is decided against, a rationale based on risk assessment should be produced. Consider: Will there always be a member of staff available to administer an AAI throughout the school day who is not further than 5 minutes away from the student at any given point. Course must include: • Signs and symptoms of allergy & anaphylaxis • Emergency response			

• Administration of adrenaline auto-injectors • Prevention of reactions Ideally would include: • Types of allergen: food and non-food • Curriculum • Trips & visits including sports • Reporting and recording <u>AllergyWise® for Schools</u> is a low cost, CPD certified course that is clinically reviewed and assured to be up to date.			
Food and drink:			
<u>Catering:</u> • What systems are in place to ensure that the student eats safely? Do all the catering and lunchtime staff know who has allergies and how to ensure that they are safe. Do they know how to report near misses and what to do should a reaction occur? • What measures do you have in place for liaison with the catering contractor and lunchtime supervisory staff? • Ensure up to date allergen information is available for each menu and that it is easily accessible, ideally on school website. • Make sure that any unexpected changes to the menu and allergens are communicated urgently to student/parent/guardian so that a different choice can be made. • Ensure that allergen matrix is available and kept up to date. The FSA have a free to download one: https://www.fooddocs.com/food-safety-templates/food-allergen-chart Consider: wrap round care break times lunch times			
<u>Events involving food:</u>			

Cake sales Parties Other PTA events Drinks • How can these be made inclusive? • What are the risks if the allergens are present during the events? Is handwashing possible? • What information has to be shared ahead of the event to remind all about the exclusion of an allergen if this has been agreed. Allergen Matrix can be found here: https://www.fooddocs.com/food-safety-templates/food-allergen-chart • Are allergens displayed, where appropriate to the event?			
<u>Celebrations:</u> • Consider discouraging cake and sweets for children as treats both for birthdays and school celebrations. • Where food is used, consider the impact for the students with allergies and discuss with parent/carer/student at the earliest opportunity to plan for a safe and inclusive event.			
Curriculum activities:			
<u>Cooking:</u> • Adapt recipes for all to create a safe cooking space. If a recipe cannot be adapted, can a different recipe be used? • Has the allergic student got their own set of cooking materials? • Are allergies included in the food technology curriculum so that all students have awareness of the impact of allergies to the health of the allergic person. • Are all students made aware of the impact of their actions on an allergic person should the specific allergens not be excluded?			

Are all students taught about cross contamination and the impact of this?			
<u>Creative activities: e.g. junk modelling, pasta</u> - When using packaging ensure that the allergens have not been in those packets; for example: crunchy nut cornflakes should not be in a classroom where a student has a peanut allergy. When students are bringing in materials from home, ensure that communication is sent to parent/carers to specify what they are unable to bring in and monitor this when the packaging comes into school. - Plastic containers should be washed in hot soapy water to remove allergens.			
<u>Music: instrument sharing (cross contamination issue)</u> - Do instruments have to be shared? - Do blowing percussion instruments have to be shared? How can they be sterilised if they do? Can the allergic student have their own blowing instrument that they don't need to share?			
<u>Science activities:</u> - Review the science curriculum and see where allergens are used. Consider whether these have to be used and whether there are alternates that can be used? If essential, the activity needs to be individually risk assessed for the allergic student. How can that lesson be made inclusive and safe? - Consider the impact of cross contamination and whether this could cause a reaction for the allergic student.			
<u>PE:</u> Consider: Indoor Outdoor Forest Schools			

• Where emergency medication is kept during PE and how quickly it can be accessed. If it is left in the classroom/changing room and is needed, how quickly can it be found? Is it easily identifiable and can it be with the student within 5 mins? • Is there an allergy trained member of staff present during after school clubs? • Is there an allergy trained member of staff accompanying away sporting events?			
<u>Break time:</u> Consider: Playground Field • Where emergency medication is kept during breaktimes and how quickly it can be accessed. If it is left in the classroom and is needed, how quickly can it be found? Is it easily identifiable and can it be with the student within 5 mins? • Is there an allergy trained member of staff present during break times?			
School animals:			
Consider: Therapy dogs and the access they have to children with allergies. Is there an allergen free area that the student will be safe in? We have <u>Dogs in School guidance</u> that will assist with this section.			
Visitors & supply staff:			
Consider: • Has the visitor been made aware of the school's policy? • If there is an allergy free zone that has been created due to a student's individual risk assessment, how has this been			

communicated to the visitor/supply staff? Does the visitor need to know about the student's allergy? Will they be using the student's allergen? Do they need to know they have to have eliminated cross contamination from themselves through handwashing after eating?			
Offsite activities:			
<u>Day trips:</u> Consider: - Is there a specific allergy section on the visit/experience risk assessment? - Is there an allergy trained member of staff accompanying the visit? - Storage of AAls - Availability of emergency services and nearest hospital - Is there a good phone signal? If not, how will communication work? How will emergency services be called? - Is food being taken or served? It may be necessary to request that other students do not bring specific allergens on the trip to reduce risk during the day. Communication with venues and parent/carers to set out expectations. - Are any of the activities during the day high risk to the allergic student; inform venues and agree control measures, aim for inclusivity. <u>Residential visits including D of E:</u> Consider: - Storage of AAls for each activity being undertaken & overnight - Availability of emergency services and nearest hospital - Is there a good phone signal? If not, how will communication work? How will emergency services be called? - What food is being served? Consider cross contamination. Do any menu changes need to be made to ensure safety? Will			

the allergic person have sufficient to eat? Does any food need to be taken? • Can students eat food in rooms? • Is there a specific allergy section on the visit/experience risk assessment? • Is there an allergy trained member of staff accompanying the visit? • Do other students need to understand signs, symptoms of allergy, how to call for help and administer an AAI?			
Other:			

This must be completed for any activity that is medium with the aim of bringing the risk to LOW. Activities that are High or Extreme must not happen unless action can be implemented to bring the risk to LOW.				
Hazard	What further action do you need to take to control the risks?	Who needs to carry out the action?	What is the action needed by?	Completed

Consequence		Minor	Moderate	Major	Critical	Catastrophic
Likelihood	Rare	Low	Low	Low	Low	Low
	Unlikely	Low	Low	Medium	Medium	Medium
	Possible	Low	Medium	Medium	High	High

	Likely	Medium	Medium	High	High	Extreme
	Certain	Medium	Medium	High	Extreme	Extreme

Consequence	Minor	Moderate	Major	Critical	Catastrophic
This is the impact of the action being allowed to happen	No reaction	Non anaphylactic reaction	Emergency response required, ambulance and hospital	Emergency response required, ambulance and hospital	Fatal, Death

Likelihood	Definition
Rare	May only occur in exceptional circumstances
Unlikely	Could occur in some circumstances, surprised if happened
Possible	Possible or likely to occur in most circumstances
Likely	Will occur in most circumstances
certain	It is expected to occur, inevitable